





## VETERINARY CHUTES

### VETERINARY CHUTE PW-2



### ADDITIONAL EQUIPMENT



### TECHNICAL DATA:

- length (outer/inner size): 225,5 / 185 cm;
- width (outer/inner size): 185,5 / 80 cm;
- height (outer/inner size): 188 / 170 cm;
- back swinging gate with hoof puller;
- self-locking crank ;
- two lifting belts with S20 worm gear drive;
- removable solid rubber wheel;
- front hoof support or hoof puller (alternatively);
- wood, rear part made from anti-slip steel ;
- D2 or D3 doors with cow head locking system.

### COMPONENTS OF SET

1	<b>W19-10-06</b>	Veterinary chute PW-2 / D2 HDG	pcs
2	<b>W19-10-06-10</b>	Veterinary chute PW-2 / D-3 HDG	pcs
3	<b>W19-10-79</b>	Tractor hook to veterinary chute PW-2 HDG	pcs
4	<b>W19-10-87</b>	Groin lifter to veterinary chute PW-2 HDG	pcs
5	<b>W19-10-92</b>	Hand transport holder ( painted)	pcs


HDG - anti-corrosion protection - hot-dip galvanized.



**VETERINARY CHUTE PW-3**



Door D2



Door D3

**ADDITIONAL EQUIPMENT**



W19-10-81

3



W19-10-89

4



W19-10-92

5

**COMPONENTS OF SET**

1	<b>W19-10-11</b>	Veterinary chute PW-3 / D2 HDG	pcs
2	<b>W19-10-11-10</b>	Veterinary chute PW-3 / D-3 HDG	pcs
3	<b>W19-10-81</b>	Tractor hook to veterinary chute PW-3 HDG	pcs
4	<b>W19-10-89</b>	Groin lifter to veterinary chute PW-3 HDG	pcs
5	<b>W19-10-92</b>	Hand transport holder ( painted)	pcs

HDG - anti-corrosion protection - hot-dip galvanized.

**TECHNICAL DATA:**

- length (outer/inner size): 250 / 205 cm;
- width (outer/inner size): 118,5 / 90 cm;
- height (outer/inner size): 208 / 190 cm;
- back swinging gate with hoof puller;
- self-locking crank
- two lifting belts with S24 worm gear drive;
- Removable solid rubber wheels; self-locking crank;
- front hoof support or hoof puller (alternatively);
- wood, rear part made from anti-slip steel ;
- D2 or D3 doors with cow head locking system.



**VETERINARY CHUTE PW-10**




**ADDITIONAL EQUIPMENT**




**REAR HOOF PULLER**

2




**BELTS**

3



**ROTARY SHAFT**

4



**HOOF SUPPORT**

5

**TECHNICAL DATA:**

- length (outer/inner size): 310,5 / 194 cm;
- width (outer/inner size): 122,5 / 80 cm;
- height (outer/inner size): 188 / 160 cm;
- front swinging doors with adjustable working width;
- front swinging door with cow head locking system;
- four bottom full gates;
- four upper openwork gates;
- non-slip floor made from checker plate .

View of veterinary chute with additional equipment.




**COMPONENTS OF SET**


- |   |                     |                                |     |
|---|---------------------|--------------------------------|-----|
| 1 | <b>W19-10-31</b>    | Veterinary chute PW-10 HDG     | pcs |
| 2 | <b>W19-10-35</b>    | Rear hoof puller HDG           | pcs |
| 3 | <b>W19-10-27</b>    | Veterinary lifting belt 150 mm | pcs |
| 4 | <b>W19-10-29-01</b> | Rotary shaft PW10 HDG          | pcs |
| 5 | <b>W19-10-29-02</b> | Hoof support PW10 HDG          | pcs |
- HDG - anti-corrosion protection - hot-dip galvanized.



**VETERINARY CHUTE PW-11**



View of veterinary chute with additional equipment.




**ADDITIONAL EQUIPMENT**




**FRONT HOOF PULLER**



**BELTS**



**ROTARY SHAFT**



**REAR HOOF PULLER**

**TECHNICAL DATA:**

- length (outer/inner size): 344 / 245 cm;
- width (outer/inner size): 134 / 82 cm;
- height (outer/inner size): 195 / 170 cm;
- front swinging doors with adjustable working width;
- front swinging door with cow head locking system;
- four openwork gates;
- non-slip floor made from checker plate.

**COMPONENTS OF SET**

1	<b>W19-10-41</b>	Veterinary chute PW-11 HDG	pcs
2	<b>W19-10-25</b>	Hoof puller HDG	pcs
3	<b>W19-10-27</b>	Veterinary lifting belt 150 mm	pcs
4	<b>W19-10-29-03</b>	Rotary shaftPW11 HDG	pcs
5	<b>W19-10-35-01</b>	Rear hoof pullerPW11 HDG	pcs

HDG - anti-corrosion protection - hot-dip galvanized.



**VETERINARY CHUTE PW-H**

**TECHNICAL DATA:**

- length (outer/inner size): 290/180 cm;
- width (outer/inner size): 160/90 cm;
- height (outer/inner size): 215/165 cm;
- weight: 1000 kg;
- hydraulic power unit: 230V power supply.- 230V.



- hydraulic lifting and lowering of belt - front and rear separately;
- hydraulic front hoof puller with a stabilizer - 2 pcs;
- hydraulic rear hoof puller with a stabilizer (separately working) - 2 pcs;
- four wheels, including two swivel wheels;
- hydraulic distributors connected in series, which allows many operators to work independently at the same time;
- hydraulic distributors connected in series, which allows many operators to work independently at the same time;
- front winch used to pull animal into the cage, also used to pull chute onto a trailer;
- front winch used to pull animal into the cage, also used to pull chute onto a trailer;
- hydraulic lifting of chute at height of 50 cm;
- automatic stop of lifting of chute after reaching the maximum height;
- hydraulically sides opening front door



- 1 **W19-10-40** Hydraulic veterinary chute PW-H set
  - 2 **W19-10-41** Heavy trolley puller PW-H pcs
- HDG - anti-corrosion protection - hot-dip galvanized.



## WEIGHT CAGES

### WEIGHT CAGE KW-1



- length (outer/inner size): 126/115cm;
- width (outer/inner size): 56/40 cm;
- height (outer/inner size): 94/84 cm.

- |   |                  |                        |      |
|---|------------------|------------------------|------|
| 1 | <b>W19-12-18</b> | Klatka wagowa KW-1 oc. | szt. |
| 2 | <b>W19-12-10</b> | Klatka wagowa KW-2 oc. | szt. |

## CALF BOXES

### ① KC -1B



- length (outer/inner size): 158,5/147,5 cm ; width (outer/inner size): 103/94 cm ; height (outer/inner size): 132,5/110 cm ;
- height-adjustable feet, - floor made from pine wood, - openable front wall with additional drinker holder;
- dimensions : length - 60 cm ; width - 38 cm ; height- 40 cm.

- |   |                  |                       |     |
|---|------------------|-----------------------|-----|
| 1 | <b>W10-13-14</b> | Calf boxes KC-1 B HDG | set |
| 2 | <b>W10-13-09</b> | Calf boxes KC-2 B HDG | set |
| 3 | <b>W10-08-71</b> | Calf box feeder HDG   | pcs |

HDG - anti-corrosion protection - hot-dip galvanized.

### WEIGHT CAGE KW-2



- length (outer/inner size): 259/223cm;
- width (outer/inner size): 112/82 cm;
- height (outer/inner size): 206/170 cm;
- four transport wheels, lever to raise the cage;
- two swinging doors, self-locking .

### ② KC -2B

