



## RECTANGULAR HAY FEEDERS

### RECTANGULAR PALISADE FEEDER PŁPC - 1



#### TECHNICAL DATA:

- body length - 200 cm;
- body width - 200 cm;
- overall height - 274 cm;
- feed fence openable on sides,, enabling loading of feed and cleaning the feeder;
- palisades height - 70 cm;
- three-point handle for transport with a tractor (three-point linkage) of a feeder not filled with feed;
- removable roof made of aluzinc sheet.

### RECTANGULAR PALISADE FEEDER PŁPC - 2



#### TECHNICAL DATA:

- body length - 200 cm;
- body width - 300 cm;
- overall height - 274 cm;
- feed fence openable on sides,, enabling loading of feed and cleaning the feeder;
- palisades height - 70 cm;
- three-point handle for transport with a tractor (three-point linkage) of a feeder not filled with feed;
- removable roof made of aluzinc sheet.

|   |                  |  |     |
|---|------------------|--|-----|
| 1 | <b>W10-08-27</b> | Rectangular palisade feeder PŁPC-1 HDG | pcs |
| 2 | <b>W10-08-29</b> | Rectangular palisade feeder PŁPC-2 HDG | pcs |

HDG - anti-corrosion protection - hot-dip galvanized.

**RECTANGULAR DIAGONAL FEEDER PŁSC - 1****TECHNICAL DATA:**

- body length - 200 cm;
- body width - 200 cm;
- overall height - 274 cm;
- feed fence openable on sides,, enabling loading of feed and cleaning the feeder;
- feed barriers height- 100 cm;
- three-point handle for transport with a tractor (three-point linkage) of a feeder not filled with feed;
- removable roof made of aluzinc sheet.

**RECTANGULAR DIAGONAL FEEDER PŁSC - 2****TECHNICAL DATA:**

- body length - 200 cm;
- body width - 300 cm;
- overall height - 274 cm;
- feed fence openable on sides,, enabling loading of feed and cleaning the feeder;
- feed barriers height- 100 cm;
- three-point handle for transport with a tractor (three-point linkage) of a feeder not filled with feed;
- removable roof made of aluzinc sheet.


3 **W10-08-75** Rectangular diagonal feeder PŁSC-1 pcs

4 **W10-08-78** Rectangular diagonal feeder PŁSC-2 pcs

HDG - anti-corrosion protection - hot-dip galvanized.



**RECTANGULAR FEEDER WITH HEADLOCK PŁZC - 1**



**TECHNICAL DATA:**

- body length - 200 cm;
- body width - 300 cm;
- overall height - 274 cm;
- feed fence openable on sides, enabling loading of feed and cleaning the feeder;
- feed barriers height - 100 cm;
- three-point handle for transport with a tractor (three-point linkage) of a feeder not filled with feed;
- removable roof made of aluzinc sheet.

**RECTANGULAR FEEDER WITH HEADLOCK PŁZC - 2**



**TECHNICAL DATA:**

- body length - 200 cm;
- body width - 300 cm;
- overall height - 274 cm;
- feed fence openable on sides, enabling loading of feed and cleaning the feeder;
- feed barriers height - 100 cm;
- three-point handle for transport with a tractor (three-point linkage) of a feeder not filled with feed;
- removable roof made of aluzinc sheet.

5 **W10-08-21** Rectangular feeder with headlock PŁZC-1 HDG pcs

6 **W10-08-24** Rectangular feeder with headlock PŁZC-2 HDG pcs

HDG - anti-corrosion protection - hot-dip galvanized.